



accessus

SUSPENDED PLATFORM FOR CHIMNEYS



“ Let’s leave
the children
a better world



INDEX 3

WHO WE ARE 4

Mission 4
Vision 5
Values 5

SUSPENDED PLATFORM FOR CHIMNEYS 6

Detachable circular platform model Komplet 6
Rectangular platform model Basic Cube 8
Removable platform model Robot 10
Manual angle platform 12
Basic double cabin turntable 14

PPEs FOR WORKING AT HEIGHT 16

ACCESUS SERVICES 18

1 At Accesus we are specialists in the development and manufacture of equipment for working at height and suspended platforms with more than 10 years of experience in the development of equipment for the industrial sector.



2

We offer platforms for work inside an outside industrial chimneys for different works ; maintenance and inspection , painting and repairing , demolition and asbestos removal.



4

Accesus works with ease in all kinds of environments and activities, as well as with all kinds of interlocutors.

We are recognized national leaders, with a strong international projection, by our users, employees, clients and suppliers in the suspended platforms and work at height sector.

5

Passion: committed with heart and mind.

Innovation: we constantly study ways to improve processes and products.

Quality: we seek excellence.


Corporate Social Responsibility: committed to the environment.

Customer Service: aimed at satisfying our customers through our products and services.

Flexibility: easily adaptable to changes.

Permanent training: we are committed to the continuous training of our staff.

Detachable circular platform model Komplet for works inside chimneys.



Detachable YES



Certified for people YES



Number of lifts : 3 x 500 kg electric




Dimensions : diameter 2,1 to diameter 7 meters.



Regulations: 2006/42/CE, EN 1808




Made of aluminium




Maximum height : unlimited



Passage through manhole 700 mm



Rectangular platform model Basic Cube removable for working inside chimneys



Detachable YES



Certified for people YES



Number of lifts : 2 x 500 kg electric




Dimensions : 1,4 x 0.8 meters
to 1,4 x 1.6 meters



Passage through manhole
670 - 750 mm



Made of steel



Maximum height : unlimited




Regulations: 2006/42/CE, EN 1808



Removable platform model Robot for automatic demolition inside the chimney

Compatible with Husqvarna DXR140 and Brokk 110 robots



Certified for people YES



Detachable YES



Made of steel



Maximum height : unlimited



Regulations: 2006/42/CE, EN 1808



Number of lifts : 4 x 1000 kg electric














Passage through manhole
1.5m



Dimensions : Ø 5,5 to 9

Manual angle platform for external chimney demolition

-  Made of aluminium
-  Passage through manhole
700mm
-  Detachable YES
-  Maximum height : unlimited
-  Certified for people YES
-  Chimney dimensions, any dimension
-  Regulations: 2006/42/CE, EN 1808
-  Number of lifts : 3 x 400 kg manual



Basic double platform cabin turntable for interior work on conical chimneys




Made of steel



Number of lifts : 2 x 500 kg (electric)



Detachable YES



Maximum height : unlimited



Certified for people YES




Chimney dimensions: 4 to 7 meters



Regulations: 2006/42/CE, EN 1808



Passage through manhole
700mm



Several years of experience in the sector has allowed Accesus to develop a very complete range of PPEs that perfectly adjusts to the needs of the wind energy sector. Take a look at the most demanded ones:

1 Harnesses



A51 E
Rotating positioning belt and automatic closures harness.



A73
High-class harness for suspended works.

2 Lanyards and anchor points



PAT 900
20 mm wide polyester strap anchor point.
22 kN and 6 available lengths:
0.3, 0.6, 0.8, 1.2, 1.5 and 2 m.



PAC 410
Steel sling with 8 mm grommets to connect with a carabiner.
15 kN and 3 available lengths:
0.5, 1 and 2 m.



612404-020
2 m elastic double fall arrest lanyard.

3 Fall arrest accessories




CT 205
Anti-trauma tape to prevent accidents and relieve groin pressure in falls from height.

4 Tool & PPEs Bags



BLS 11K
PPEs PVC bag with double adjustable strap closure.
60x30x30 cm.
33 l capacity.



Tool holders


Velcro (PH1) or elastic (PH2) wrist tool holder, retractable (PH3) tool holder and sling-type (PH040-BT001) tool holder.
Maximum load capacity: from 0.5 to 2 Kg.



BLS 502
Canvas tool bag with outer and inner pockets.
40x30x30 cm.
25 l capacity.

In addition to manufacturing suspended platforms and offering the safest and most specialized PPEs for working at height, Accesus is also

characterized by offering a set of value-added services to our customers:



Custom designs:

We offer technical field studies reports with case studies offers, we provide the customer with all the detailed technical sheets, user's manuals and certifications of our products and try to accomplish all our client's needs.

Renting:

The rental of suspended platforms equipment means an important part of Accesus activity.

Accesus Global Training:

Accesus offers all kind of training courses to serve our clients wherever is needed: commercial trainings to distributors, user training for the correct use of our platforms and training programs for equipment maintainers.

Maintenance & After Sales:

In Accesus you'll find a strong After Sales team made of qualified technicians and you'll also be able to get a maintenance and warranty certificate for each platform you get.

Assembly & Set Up:

We have our own trained and experienced staff for assembling and setting up our Modublade suspended platforms in our facilities or outdoors.

R&D:

Accesus Technical Department is continuously developing new prototypes in order to improve our own products for our customers.



accessus



www.accessus.es

